







Woche	Chargen-Nr.	Artikelbezeichnung	Koscher	Aerobe, mesophile Keime	Enterobacteriaceae	Salmonellen	B. cereus	°Brix	pH	Salz %	Fipronil	MHD Fremdprod.	Bemerkungen
<b>Toleranzwert (T) / Grenzwert (G) / Sollwert (S)</b>				<b>T: ≤1,0<sup>6</sup></b>	<b>T: ≤10</b>	<b>G: nn in 25g</b>	<b>S: ≤1,0<sup>4</sup></b>						
	<b>SOLL-Werte</b>	<i>Vollei nature</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	23,0 - 27,0	7,0 - 8,0				
		<i>Vollei 1,9% Salz</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	27,0 - 31,0	7,0 - 8,0	2,1-2,4%			
		<i>Vollei 3,3% Salz</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	28,0 - 31,0	7,0 - 8,0	3,4-3,9%			
		<i>Vollei 10,0% Salz</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	33,0 - 38,0	7,0 - 8,0	>10,0%			
		<i>Vollei 33,3% Zucker</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	46,0 - 53,0	7,0 - 8,0				
		<i>Vollei-Gelb-Mix</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	25,5 - 32,0	7,0 - 8,0				
		<i>Vollei m/Kirsch</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	22,0 - 26,0	7,2 - 8,2				
		<i>Vollei-Eiweiss-Mix (90%, 10%)</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	21,0 - 25,0	7,5 - 8,5				
		<i>Vollei-Eiweiss-Mix (67%, 33%)</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	19,0 - 23,0	7,5 - 8,7				
		<i>Eiweiss0 + 1</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	12,4 - 16,8	8,5 - 10,0				
		<i>Eiweiss2</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	13,5 - 16,0	5,7 - 7,0				
		<i>Eiweiss E 270</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	12,0 - 15,0	7,0 - 8,5				
		<i>Eiweiss0 33% Zucker</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	38,0 - 44,0	8,5 - 9,5				
		<i>Eiweiss0 67% Zucker</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	65,0 - 70,0	7,8 - 9,5				
		<i>Eigelb nature</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	39,0 - 46,0	6,1 - 7,5				
		<i>Eigelb 8% Salz</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	46,5 - 51,0	5,8 - 6,5				
		<i>Eigelb 9% &amp; 11% Salz</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	48,0 - 52,0	5,8 - 6,5				
		<i>Eigelb 9% &amp; 11% Salz hitzestabil</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	48,0 - 52,0	5,4 - 6,2				
		<i>Eigelb 33,3% Zucker</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	55,0 - 60,0	6,2 - 7,2				
		<i>Eistreiche</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	27,0 - 32,0	7,0 - 8,0				
		<i>Zopf-Eistreiche</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	30,0 - 36,0	6,8 - 7,8				
		<i>Eistreiche GLANZ VE-MP</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	25,0 - 29,0	7,0 - 8,0				
		<i>Eistreiche GLANZ VE-EG-MP</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	27,0 - 32,0	6,5 - 7,5				
		<i>Eistreiche GLANZ VE-EW-MP</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	22,0 - 28,0	7,0 - 8,0				
		<i>Eistreiche GLANZ WMP</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	22,5 - 26,0	7,0 - 8,0				
		<i>Vollei-Pulver</i>		≤1,0 <sup>4</sup>	≤10	nn	≤1000	≥ 95,5	8,0 - 9,5				
		<i>Vollei-Pulver Pigment</i>		≤1,0 <sup>4</sup>	≤10	nn	≤1000	≥ 95,0	7,0 - 9,5				
		<i>Eiweiss-Pulver high gel</i>		≤1,0 <sup>4</sup>	≤10	nn	≤1000	≥ 92,0	6,5-10,5				
		<i>Eiweiss-Pulver high gel INSTANT</i>		≤1,0 <sup>4</sup>	≤10	nn	≤1000	≥ 92,0	6,5-10,5				
		<i>Eiweiss-Pulver high whip</i>		≤1,0 <sup>4</sup>	≤10	nn	≤1000	≥ 92,0	5,5 - 8,0				
		<i>Eiweiss-Pulver high whip INSTANT</i>		≤1,0 <sup>4</sup>	≤10	nn	≤1000	≥ 92,0	6,0 - 6,5				
		<i>Eigelb-Pulver hitzestabil</i>		≤1,0 <sup>4</sup>	≤10	nn	≤1000	≥ 95,0	5,5 - 7,0				
		<i>Vollei GustOvo</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	23,5 - 27,0	6,2 - 7,0				
		<i>Eiweiss GustOvo</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	13,0 - 16,5	6,0 - 7,0				
		<i>Eigelb GustOvo</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	38,0 - 44,0	5,8 - 6,4				
		<i>Rührei GustOvo</i>		≤2,0 <sup>4</sup>	≤10	nn	≤1000	20,5 - 26,0	6,2 - 7,0				
2022,11	22095 Lodewijckx	Eigelb Bodenhaltung EU 9% Salz KAT		≤1,0 <sup>2</sup>	≤10	nn		49,9	6,15	9,1%		02.06.22	
2022,11	22104 Lodewijckx	Eigelb Freilandhaltung EU 9% Salz KAT		≤1,0 <sup>2</sup>	≤10	nn		50,0	6,12	9,1%		08.06.22	
2022,11	22104 Lodewijckx	Eigelb Freilandhaltung EU 9% Salz KAT		≤1,0 <sup>2</sup>	≤10	nn		50,0	6,19	9,1%		08.06.22	
2022,11	22105 Lodewijckx	Eigelb Freilandhaltung EU 9% Salz KAT		≤1,0 <sup>2</sup>	≤10	nn		49,9	6,12	9,0%		09.06.22	
2022,11	22105 Lodewijckx	Eigelb Freilandhaltung EU 9% Salz KAT		≤1,0 <sup>2</sup>	≤10	nn		49,9	6,12	9,1%		09.06.22	