







Woche	Chargen-Nr.	Artikelbezeichnung	Koscher	Aerobe, mesophile Keime	Enterobacteriaceae	Salmonellen	B. cereus	°Brix	pH	Salz %	Fipronil	MHD Fremdprod.	Bemerkungen
<b>Toleranzwert (T) / Grenzwert (G) / Sollwert (S):</b>				<b>T: ≤1,0<sup>4</sup></b>	<b>T: ≤10</b>	<b>G: nn in 25g</b>	<b>S: ≤1,0<sup>4</sup></b>						
	<b>SOLL-Werte</b>	<i>Vollei nature</i>		≤2,0 <sup>4</sup>	≤10	nn	23,0 - 26,0	7,0 - 8,0					
		<i>Vollei 1,9% Salz</i>		≤2,0 <sup>4</sup>	≤10	nn	27,5 - 31,0	7,0 - 8,0	1,1-2,4%				
		<i>Vollei 3,3% Salz</i>		≤2,0 <sup>4</sup>	≤10	nn	28,0 - 31,0	7,0 - 8,0	4-3,9%				
		<i>Vollei 33,3% Zucker</i>		≤2,0 <sup>4</sup>	≤10	nn	47,0 - 53,0	7,0 - 8,0					
		<i>Vollei-Gelb-Mix</i>		≤2,0 <sup>4</sup>	≤10	nn	25,5 - 32,0	7,0 - 8,0					
		<i>Vollei m/Kirsch</i>		≤2,0 <sup>4</sup>	≤10	nn	22,0 - 26,0	7,2 - 8,2					
		<i>Vollei-Eiweiss-Mix (90%, 10%)</i>		≤2,0 <sup>4</sup>	≤10	nn	21,0 - 25,0	7,5 - 8,5					
		<i>Vollei-Eiweiss-Mix (67%, 33%)</i>		≤2,0 <sup>4</sup>	≤10	nn	19,0 - 22,0	7,5 - 8,7					
		<i>Eiweiss0 + 1</i>		≤2,0 <sup>4</sup>	≤10	nn	13,5 - 16,5	8,5 - 10,0					
		<i>Eiweiss2</i>		≤2,0 <sup>4</sup>	≤10	nn	13,5 - 16,0	5,7 - 7,0					
		<i>Eiweiss0 33% Zucker</i>		≤2,0 <sup>4</sup>	≤10	nn	38,0 - 44,0	8,5 - 9,5					
		<i>Eigelb nature</i>		≤2,0 <sup>4</sup>	≤10	nn	39,0 - 46,0	6,1 - 7,5					
		<i>Eigelb 9% &amp; 11% Salz</i>		≤2,0 <sup>4</sup>	≤10	nn	48,0 - 52,0	5,8 - 6,5					
		<i>Eigelb 9% &amp; 11% Salz hitzestabil</i>		≤2,0 <sup>4</sup>	≤10	nn	48,0 - 52,0	5,4 - 6,2					
		<i>Eigelb 33,3% Zucker</i>		≤2,0 <sup>4</sup>	≤10	nn	55,0 - 60,0	6,2 - 7,2					
		<i>Eistreiche</i>		≤2,0 <sup>4</sup>	≤10	nn	27,0 - 32,0	7,0 - 8,0					
		<i>Zopf-Eistreiche</i>		≤2,0 <sup>4</sup>	≤10	nn	30,0 - 36,0	6,8 - 7,8					
		<i>Eistreiche GLANZ MP</i>		≤2,0 <sup>4</sup>	≤10	nn	25,0 - 28,0	7,0 - 8,0					
		<i>Eistreiche GLANZ WMP</i>		≤2,0 <sup>4</sup>	≤10	nn	22,5 - 26,0	7,0 - 8,0					
		<i>Vollei-Pulver</i>		≤1,0 <sup>4</sup>	≤10	nn	≥ 95,5	8,0 - 9,5					
		<i>Vollei-Pulver Pigment</i>		≤1,0 <sup>4</sup>	≤10	nn	≥ 95,0	7,0 - 9,5					
		<i>Eiweiss-Pulver high gel</i>		≤1,0 <sup>4</sup>	≤10	nn	≥ 92,0	6,5-10,5					
		<i>Eiweiss-Pulver high gel INSTANT</i>		≤1,0 <sup>4</sup>	≤10	nn	≥ 92,0	6,5-10,5					
		<i>Eiweiss-Pulver high whip</i>		≤1,0 <sup>4</sup>	≤10	nn	≥ 92,0	5,5 - 8,0					
		<i>Eiweiss-Pulver high whip INSTANT</i>		≤1,0 <sup>4</sup>	≤10	nn	≥ 92,0	6,0 - 6,5					
2018.45	0280-2 Eipro	Rührei Bodenhaltung EU 1 KG Eifix		≤1,0 <sup>2</sup>	≤10	nn	25,4	6,80				12.12.18	
2018.45	0309-0 Eipro	Konditoren-Eiweiss Bodenhaltung EU 1 KG Eifix		≤1,0 <sup>2</sup>	≤10	nn	12,1	7,10				20.12.18	
2018.45	0324-0 Eipro	Vollei Bodenhaltung EU 1 KG Eifix		≤1,0 <sup>2</sup>	≤10	nn	22,9	6,90				21.12.18	
2018.45	0367-0 Eipro	Eigelb Bodenhaltung EU 1 KG Eifix		3,0 <sup>2</sup>	≤10	nn	41,0	6,30				27.12.18	
2018.45	18393 Lodewijckx	Eigelb Bodenhaltung EU 11% Salz KAT		2,6 <sup>2</sup>	≤10	nn	49,1	6,10				25.12.18	
2018.46 Analysen "diverse Tierarzneimittel" - Beilage: Untersuchungsbericht H0577 DLV Luzern, 30.10.2018													