

Woche	Chargen-Nr.	Artikelbezeichnung	Koscher	Aerobe, mesophile Keime	Enterobacteriaceae	Salmonellen	B. cereus	° Brix	pH	Salz %	Fipronil	MHD Fremdprod.	Bemerkungen
Toleranzwert (T:) / Grenzwert (G:) / Sollwert (S:)				T: ≤1,0⁶	T: ≤10	G: nn in 25g	S: ≤1,0⁴						
SOLL-Werte													
		Vollei nature		≤2,0 ⁴	≤10	nn	23,0 - 26,0	7,0 - 8,0					
		Vollei 1,9% Salz		≤2,0 ⁴	≤10	nn	27,5 - 31,0	7,0 - 8,0	2,1-2,4%				
		Vollei 3,3% Salz		≤2,0 ⁴	≤10	nn	28,0 - 31,0	7,0 - 8,0	3,4-3,9%				
		Vollei 10,0% Salz		≤2,0 ⁴	≤10	nn	33,0 - 38,0	7,0 - 8,0	>10,0%				
		Vollei 33,3% Zucker		≤2,0 ⁴	≤10	nn	46,0 - 53,0	7,0 - 8,0					
		Vollei-Gelb-Mix		≤2,0 ⁴	≤10	nn	25,5 - 32,0	7,0 - 8,0					
		Vollei m/Kirsch		≤2,0 ⁴	≤10	nn	22,0 - 26,0	7,2 - 8,2					
		Vollei-Eiweiss-Mix (90%, 10%)		≤2,0 ⁴	≤10	nn	21,0 - 25,0	7,5 - 8,5					
		Vollei-Eiweiss-Mix (67%, 33%)		≤2,0 ⁴	≤10	nn	19,0 - 23,0	7,5 - 8,7					
		Eiweiss0 + 1		≤2,0 ⁴	≤10	nn	12,4 - 16,8	8,5 - 10,0					
		Eiweiss2		≤2,0 ⁴	≤10	nn	13,5 - 16,0	5,7 - 7,0					
		Eiweiss0 33% Zucker		≤2,0 ⁴	≤10	nn	38,0 - 44,0	8,5 - 9,5					
		Eigelb nature		≤2,0 ⁴	≤10	nn	39,0 - 46,0	6,1 - 7,5					
		Eigelb 9% & 11% Salz		≤2,0 ⁴	≤10	nn	48,0 - 52,0	5,8 - 6,5					
		Eigelb 9% & 11% Salz hitzestabil		≤2,0 ⁴	≤10	nn	48,0 - 52,0	5,4 - 6,2					
		Eigelb 33,3% Zucker		≤2,0 ⁴	≤10	nn	55,0 - 60,0	6,2 - 7,2					
		Eistreiche		≤2,0 ⁴	≤10	nn	27,0 - 32,0	7,0 - 8,0					
		Zopf-Eistreiche		≤2,0 ⁴	≤10	nn	30,0 - 36,0	6,8 - 7,8					
		Eistreiche GLANZ MP		≤2,0 ⁴	≤10	nn	25,0 - 29,0	7,0 - 8,0					
		Eistreiche GLANZ VE-EG-MP		≤2,0 ⁴	≤10	nn	27,0 - 32,0	6,5 - 7,5					
		Eistreiche GLANZ WMP		≤2,0 ⁴	≤10	nn	22,5 - 26,0	7,0 - 8,0					
		Vollei-Pulver		≤1,0 ⁴	≤10	nn	≥ 95,5	8,0 - 9,5					
		Vollei-Pulver Pigment		≤1,0 ⁴	≤10	nn	≥ 95,0	7,0 - 9,5					
		Eiweiss-Pulver high gel		≤1,0 ⁴	≤10	nn	≥ 92,0	6,5-10,5					
		Eiweiss-Pulver high gel INSTANT		≤1,0 ⁴	≤10	nn	≥ 92,0	6,5-10,5					
		Eiweiss-Pulver high whip		≤1,0 ⁴	≤10	nn	≥ 92,0	5,5 - 8,0					
		Eiweiss-Pulver high whip INSTANT		≤1,0 ⁴	≤10	nn	≥ 92,0	6,0 - 6,5					
		Vollei GustOvo		≤2,0 ⁴	≤10	nn	23,5 - 27,0	6,2 - 7,0					
		Eiweiss GustOvo		≤2,0 ⁴	≤10	nn	13,0 - 16,5	6,2 - 7,0					
		Eigelb GustOvo		≤2,0 ⁴	≤10	nn	38,0 - 44,0	5,8 - 6,4					
		Rührei GustOvo		≤2,0 ⁴	≤10	nn	20,5 - 26,0	6,4 - 7,0					
2019.16	250319.04 2 KG	Eigelb Bodenhaltung CH		≤1,0 ²								12.04.19	Probeentnahme: 17.04.2019, 23 Tg
2019.16	250319.04 5 KG	Eigelb Bodenhaltung CH		≤1,0 ²								12.04.19	Probeentnahme: 17.04.2019, 23 Tg
2019.16	250319.08 2 KG	Vollei Bodenhaltung CH		≤1,0 ²								12.04.19	Probeentnahme: 17.04.2019, 23 Tg
2019.16	250319.08 5 KG	Vollei Bodenhaltung CH		1,2 ²								12.04.19	Probeentnahme: 17.04.2019, 23 Tg
2019.16	CPP190003665	Eigelb Bodenhaltung EU KAT		1,1 ³	≤10	nn	43,0	6,41				03.05.19	
2019.16	L19C16T	Traiteur-Eier Freilandhaltung CH		≤5,0 ³	≤10	nn							16.05.19
2019.16	0335 Eipro	Ei-Würfel Bodenhaltung IQF EU KAT		6,0 ²	≤10	nn	<100						14.05.20
2019.16	1551 Eipro	Traiteur-Eier Bodenhaltung EU 3x20 ST		≤5,0 ³	≤10	nn							16.05.19
2019.16	1551 Eipro	Traiteur-Eier Bodenhaltung EU Eimer 7 KG		≤5,0 ³	≤10	nn							17.05.19
2019.16	1611 Eipro	Traiteur-Eier Bodenhaltung EU Eimer 60 ST		≤5,0 ³	≤10	nn							20.05.19
2019.16	191246 Hosberg	Vollei Bio Knospe CH		≤1,0 ²	≤10	nn							26.04.19
2019.16	191280 Hosberg	Vollei Bio Knospe CH		≤1,0 ²	≤10	nn							30.04.19